

When to Refer: Certain Disorders / Issues

Individuals	Couples	Families
<ul style="list-style-type: none"> - Suicidal Ideation - Self-Harm - Eating Disorders - Severe and Persistent Mental Illness - Addictions (Including Pornography) - Personality Disorders - Sexual Dysfunction - Complex Trauma - PTSD Symptoms - Hallucinations/Delusions (Demonic?) - Bi-Polar/Unipolar Depression - Generalized Anxiety Disorder - Phobias – Specific Anxiety - Panic Disorders - Manic/Hypomanic Disorders - Religious Abuse - Beginning Psychiatric Medications - If the person is a child or an adolescent. 	<ul style="list-style-type: none"> - ALL INDIVIDUAL ISSUES - Domestic Violence - Abusive Interactions currently or in the past. (Physical, Emotional, Sexual, Religious) - Affairs. - Revelation of Domestic Violence - Speaking about Divorce <p>Living Separately (sometimes indicated by sleeping in separate beds).</p> <ul style="list-style-type: none"> - Sexual Dysfunction - Issues that have lasted for more than 6 months. <p>Pre-Marriage Referrals.</p> <ul style="list-style-type: none"> - Second Marriage - Annulment/Blessing of the Marriage - Significant Relationship Strife. - Any significant concerns on the FOCUS inventory. 	<ul style="list-style-type: none"> - ALL INDIVIDUAL AND COUPLES ISSUES - Child Abuse (After reporting to CPS and Safe Environment) - Religious disagreements - Persistent Inability to Communicate. - Complex Bereavement – Loss of family Unit. <p>**It is almost universally recommended that a Pastoral Counseling Minister refers all families to clinical counseling.</p>